




Figure 3











Figure 7



+
u
Ø
2
-
Φ
+
$\alpha$
<b>+-</b>
ഗ
S
ii.
-
~
_

MFSIfCondition		Figure 9				
MFSTable						
MFSDeviceDescriptor	MFSDeviceType	MFS Devic eDivision	MFS DevicePage	MFSDeviceField		
FSMessageDescriptor	MFS Logical Page	MFSPassword	MFSSegment	MFSMessageField		




Figure 10

MFSDevoeffed attributes: MFSDevoeffed extended4tributes to MFSDevoeffed extended4tribute1type forght; into position MFSPosition1type value o String	M-Sivessage-Had MFSFormatübany attribuses: bodean rame · String eart · MFSE-artlype rame · String till · Simrg MFSUsativ/jype MFSNessagePorter length · MFSUsativ/jype rame · String rame · String	MFSExerdedAttnbueType MFSExerdedAttnbueType unber in extendedGapthoCharacteSet Sting edor. in inghighting IMF9HghtghtingType mixed bodean auflining: MF9AtfiningType programmedSymbot: Sting validation: MFSValidationType	MFSPostonType  row int column rit firstByte : int physicalPage : int  MFSPageType rumber : int  formatting : MFSPageFormattingType	<ul> <li><eruneatior>&gt;</eruneatior></li> <li>MFSHghighingType</li> <li>MFSHghighingType</li> <li>MFSHiersilyType</li> <li>MFShiersilyType</li> <li>MFShiersilyType</li> <li>normal</li> <li>hgh</li> <li>normal</li> <li>normal</li> <li>nordsplayable</li> <li>urderline</li> </ul>
MFSDeviceDision type: MFSDescriptorType compression: MFSCompressionTy MFSDevicePage cursor: MFSCusorType fill: Sining multiplePages: bodean	ge MFSsegnert tionType ext · MFSExtType gaptrc · bodean	MFSConditonType MFSQusonType MFSExtTy left.Operand : Sting column : int number int operator : MFSOperatorType fieldName : Sting vector int	Type MFSOutningType box: toolean ingit bodean left; bodean left; bodean under bodean over bookean value; Sting	**erumeration>     **erumeration>     **MFSDescriptorType
MFSDeviceType label: String comments : String comments : String deca : String deca : String deca : String hresifCondition pdr : MFSFagatifype pen : String width : int width : int prescription : WFSConditionType substitution : String width : int	MFSNessageDescriptor MFSLugicalPa fill Stiming condition. MFSCondigon. MFSCondigon. MFSCondigon. prompt/falue · Stiming paging : bodean type · MFSDescriptorType	MFSAttributeType attributeBytes: bodiesn detectable: NFSDetectabilityType ingtOperindersityType montriber bodiesn numen: bodiesn protected: bodiesn strip : bodiesn strip : bodiesn	MFSFundionkeyType oard bodean ifedName Simp dataErinyKeyDoard; bodean fundronkeys; bodean mrSFundionKeyValue grore; bodean turdon String tundon String	c-cerumeation>> MFSCoritype MFSCompressionType blue fixed red short green all prik turquose yelow default reutral ArsOperatorType equal c-cerumeration>> MFSCompressionType great MFSCoperatorType equal rettal institute institute restlient